

# Pool & Spa collection



# Pool & Spa collection




- 3 Ceramic Pool
- 5 Harmonie
- 6 Landscape
- 7 Smart
- 9 Shapes
- 11 Lugano
- 12 Lustre Pearl
- 13 Jewel
- 15 Niebla
- 19 Iridis
- 20 Ceris
- 21 Sundance
- 23 Moon / Pandora
- 25 Trendy / Drops
- 26 Crystalline
- 27 Tulip
- 28 Lustrous
- 29 Chromatic
- 31 Accord
- 32 Design Service
- **39** Torino (WA Series)
- 43 Rocce (WB2 Series)
- 45 Unglazed
- 46 Atlanta
- 47 Pietre Runiche (WR Series)
- 49 Brezo, Radica & Delhi
- 51 Lifestone
- 53 Madrid (WJ Series)
- 55 Solo (WG Series)
- 56 Assouan
- 57 Serapool
- 58 N Series
- 60 Project (WP1 Series & WP2 Series)
- 62 Ardex
- 64 Anti-Slip Information

Colours shown are as accurate as the limitations of the printing process will allow.


Please refer to actual product samples before ordering.

#### Anti-Slip

Also available in Anti-Slip
Frostproof




# Ceramic Pool



**CB-448 Key** Mediterranean Roman Key

**CB-144 Key** Caribbean Roman Key




# Harmonie





# Landscape

i	ø	Product: Glazed Porcelain	Size: 25x25mm	Thickness: 6mm	Sheet Size: 144 tiles/sheet = 29.7x29.7cm
---	---	------------------------------	------------------	-------------------	--



Mix 1 Forest



Mix 7 Desert

Mix 3 Moorland



Mix 4 Meadow




**Mix 5** Sky




Mix 6 Rockface







**Mix 8** Waterfall



#### Smart

i 🕫	Product:	Size:	Thickness:	Sheet Size:
	Glazed Ceramic	23x73mm	6mm	48 tiles/sheet = 30x30cm
	Glazed Cerdinic	23x73mm	omm	48 mes/sneet = 30x30cm



CX-8002 Dewdrop White



CG-8100 Glacier

**CG-8890** Midnight Black



CG-8888 Steel Grey



**CG-8895** Gunmetal Grey



#### Shapes





**CU-2117** Hexagon - Unglazed Black

•	43	Product: Glazed Ceramic	Size: 23x48mm	Thickness: 6mm	Sheet Size: 72 tiles/sheet = 30x30cm






CG-4102 Mini Metro - Gloss White

**CG-4890** Mini Metro - Gloss Black

İ	₿	Product: Glazed Ceramic	Size: 19mm Round	Thickness: 5mm	Sheet Size: 240 tiles/sheet = 31x29cm
---	---	----------------------------	---------------------	-------------------	--




CM-3140 Circle - Matt White



# Lugano

i	\$ Product: Glass Mosaic	Size: 20x20mm	Thickness: 4mm	Sheet Size: 225 tiles/sheet = 32.7x32.7cm





當然	調數
12	論語

**KB-125** Blu Cielo


**KB-122** Blu Oceano

**KB-121** Cobalto



**KB-063** Ghiaccio


**KB-630** Turchese




**KB-810** Blu Elettrico



**KB-814** Grigio Salvia



**KB-812** Azzurro Ghiaccio



**KB-818** Moscato



#### Lustre Pearl

Product:SizeGlass Mosaic20x20n	m Thickness: Sheet Size: 4mm 225 tiles/sheet = 32.7x32.7cm
--------------------------------	---

	-		
			No.
1000		The second	


MNA-10 White



MND-34 Marine



MND-35 Denim



MNC-61 Blue



MND-37 Zaffre



MNC-45 Black

MND-44 Forest




MND-45 Apple



MEC-45 Lustre Black





# Jewel

i	₿	Product: Glass Mosaic	Size: 20x20mm	Thickness: 4mm	Sheet Size: 225 tiles/sheet = 32.7x32.7cm
---	---	--------------------------	------------------	-------------------	--




**GL-044** Gomeda



**GL-088** Topaz









**GL-078** Lazurite

**GL-075** Amazonite



## Niebla






**PS-26** Black



**PS-54** Foggy Black




**PS-56** Foggy Moss Green




en

**PS-51** Foggy Blue



### Niebla

•		Product:	Size:	Thickness:	Sheet Size:
	₿.	Glass Mosaic	25x25mm	5mm	169 tiles/sheet = 33.3x33.3cm





**PS-153** Urumea Mix

11071

100

State of the

		ίŧ.			
	44	5	181		
		SE			
1		1		100	

PS-53 IRIS Mid Blue Iridescent




**PS-155** Urola Mix



**PS-55 IRIS** Dark Blue Iridescent



**PS-163 IRIS** Bidasoa Mix




# Iridis






Size: 25x25mm




Thickness: 5mm



Lila

Sheet Size: 144 tiles/sheet = 31.6x31.6cm







Verbena



Jacaranda


Jazmin






Jacinto








Coffee





Oran



Caribe

19

**Iridis** 



Carmin



Grey



Pasion



Lavanda

Celeste



Sahe

Maldivas





Sandal





# Ceris

İ	ø	Pr Glas

roduct: Iss Mosaic 2

Size: Thickness: 25x25mm 5mm

\*

Sheet Size: 144 tiles/sheet = 31.6x31.6cm

\*

\* Not suitable for submersion

and as

Moondance Negro

Metalica Plata



Metalica Platino




Rock Cobalto 50%



Rock Platino 50%


\*

Ceris



# Sundance

i	₿	Product: Glass Mosaic	Size: 25x25mm	Thickness: 5mm	Sheet Size: 144 tiles/sheet = 31.6x31.6cm	* Not suitable
---	---	--------------------------	------------------	-------------------	--	----------------








Manzana

\*

le for submersion

18			
Blanc	0		
		1	
1000	1		100

Rosa



Oro

Beige




Plata




### Moon



Sheet Size: 144 tiles/sheet = 31.7x31.7cm






Children	10115	1.1	91.12
2. 3	(arrester	10.0	
	-	100	M
the state		Stor.	1
120	Sec. 1	E B	1
1.173	Sec. 1	NOV	(Theat

**652** White



**658** Silver



**659** Black



**660** Blue

**651** Metallic

### Pandora

İ	₿	Product: Glass Mosaic	Size: 25x25mm	Thickness: 5mm	Sheet Size: 144 tiles/sheet = 31.6x31.6cm
---	---	--------------------------	------------------	-------------------	--



Bianco 50%




Ferro 50%






Vainiglia 50%



Zen 50%



Oda 50%



Tornasol 50%




# Trendy

i	\$	Product: Glass Mosaic	Size: 25x25mm	Thickness: 5mm	Sheet Size: 144 tiles/sheet = 31.6x31.6cm
---	----	--------------------------	------------------	-------------------	--





Trendy Gris





Trendy Beige

### Drops

i	\$	Product: Glass Mosaic	Size: 25x25mm	Thickness: 5mm	Sheet Size: 144 tiles/sheet = 31.6x31.6cm
---	----	--------------------------	------------------	-------------------	--



Drops Antracita 50%



Drops Negro 50%




Drops Gris 50%



Drops Beige 50%



Drops Blanco 50%



Drops Cobalto 50%



Drops Celeste 50%



## Crystalline

i	\$ Product: Glass Mosaic	Size: 25x25mm



**WX8 503/11** Cloud Mix



Thickness: 8mm

**WX8 501/11** Aqua Mix




Sheet Size: 144 tiles/sheet = 32x32cm

**WX8 504/11** Ocean Mix




WX8 502/11 Azure Mix



# Tulip

Glass Mosaic 20x20mm 8mm 196 tiles/sheet = 31x31cm	i 🕸	Product: Glass Mosaic	Size: 20x20mm	Thickness: 8mm	Sheet Size: 196 tiles/sheet = 31x31cm
--	-----	--------------------------	------------------	-------------------	--






MIC-16 Toffee

**MIC-06** Black



MIC-04 Blue







#### Lustrous

i	\$	Product: Glass Mosaic	Size: 15x15mm	Thickness: 8mm	Sheet Size: 324 tiles/sheet = 29.5x29.5cm
---	----	--------------------------	------------------	-------------------	--




MLG-1502 Black Mix




MLG-1508 Ivory Mix





MLG-1501 White Mix



MLG-1504 Green Mix



MLG-1506 Red Mix





#### Chromatic




PLM-2011-1 Glitter






PLM-2002 Harlequin



PLM-2008 Azurite





PLM-2010 Lagoon


29



3 5 1 關 對國認能

PLM-2012 Purple Haze

**LA-91** Silver




#### Accord


Size: 15x15mm e

Thickness: 8mm

Sheet Size: 324 tiles/sheet = 29.5x29.5cm












Accord-101 Desert Sand

Accord-102 Autumn Blush

Accord-201 Crystal Beige


Accord-203 Ice Cube






#### Accord

i	Product:	Size:	Thickness:	Sheet Size:
	Glass & Natural Stone	15x48mm	8mm	108 tiles/sheet = 29.5x29.5cm




Accord-MB-201 Crystal Beige




Accord-MB-303 Coal Mine



Accord-MB-203 Ice Cube



Accord-MB-312 Chestnut Brown



Accord-MB-205 Sepia Brown



Accord-MB-401 Copper Bronze



# Our service is designed to ensure complete customer satisfaction, everything comes together perfectly.

We pride ourselves on providing a truly individual service for all customers, complementing an extensive choice and good stock levels with a comprehensive design service. Customers can choose from a range of hand-made mosaic designs or commission one to their own specifications.

Working from detailed drawings or just a sketch or picture, our skilled, experienced creative team will develop bespoke mosaics. The result can truly be called a work of art, inspired by the customer's own imagination.

We can use any of the true, cut or full tile methods of mosaic depending on which is suited for your specified environments.

	Digital Print	This method uses state of the art inkjet technology to print a digital image onto the surface of the mosaic.
×4	Full Tile	The full tile method of mosaic is created using the full uncut mosaics placed in set trays to your chosen designs. Full tile is the most economical method of production and design.
	Tile Bands & Fades	Tile bands and fades are usually produced using the full tile method primarily for the decoration of pool walls.
	True Mosaic	The true method of mosaic is created using tiny colourful pieces of broken mosaic that when put together form a beautiful work of art.
51	Cut Tile	The cut tile method consists of tiles that are precision cut and positioned into the mosaic grid to form the exact shape of the chosen design.



# **Digital Print**

One of our most contemporary methods of mosaic design production, Digital Print literally replicates any image to any scale. Picking up the minutest of details, it is ideal for intricate designs in a small area or where photographic reproduction quality is required.

Our design team can use any high definition image you desire, be it a family member, favourite landscape or iconic image and reproduce it onto vitreous glass mosaic suitable for use in the pool or any internal or external wall application.



#### Full Tile

A cost-effective way to personalise any pool is to create a simple but stunning motif using the "full tile" mosaic method. Simply supply a picture of your required design and it can be reproduced using mosaic in various colours.

Motifs can be produced using most of our popular mosaic ranges, the smaller the mosaic the more detail can be achieved within the available area, eg. the image above was created using 12x12mm glass mosaic whilst the image below was made using 25x25mm Harmonie mosaic.

- Examples of full tile designs are available upon request
- Dolphins
- Mermaids
- Compass
- Anchors
- Birds
- Crests
- Company logos





#### Tile Bands & Fades




WX-4 Squares



WX-3 Chain




WX-12 Bali



WX-1 Kos



WX-2 Ibiza




Feature bands and graduating fades can be produced in any size and any colour combination using most of our popular ranges of mosaic.

An extensive archive of patterns is available to choose from or alternatively we can re-create any pattern of your choice.

The example shown are some standard designs reproduced using colours from the Harmonie collection





DF-614 Azure Fade

DF-607 Royal Fade

**Design Service** 



## True Mosaic

The origins of a true mosaic are derived from Greek and Roman artisans who created painstakingly detailed designs of significant scenes, by using broken pieces of glass, ceramics and stone. Their longevity is confirmed through the many mosaics still standing after thousands of years of wear.

Our True Mosaic method borrows techniques from this original formula, by using tiny colourful pieces of ceramic and porcelain tile to form a spectacular art piece. Our design service meticulously places each tile to suit the form of your image, creating a beautiful and original piece of art.






37




The cut tile method is one of skill and intricacy ideal for creating highly detailed motifs with smooth flowing lines. Motifs are made by hand painstakingly cutting and shaping each individual mosaic to replicate even the smallest detail.







# Torino



**WA-42** Isola



**WA-46** Blanes

WA-32 Oregon

**WA-40** Autumn

## Torino

### **Finishes**



#### Polished

The high gloss polished surface further enhances the elegance of the Torino series, adding that touch of extra opulence for areas where the greatest visual impact is required.

#### Natural

In the natural version the Torino series is at its most versatile. It is appropriate for use in every environment of the residential and commercial sectors. Results achieved will be of the highest standard both from an aesthetic and technical standpoint.

#### Silk

The silk surface is achieved by mechanical polishing and produces a perfectly smooth subtle satin finish with great tactile appeal and with the added benefit of being easier to maintain.

#### Riven (R11 A+B)

The riven finish is ideal for areas where a degree of slip resistance is required, as it meets both the DIN 51097 A+B and the DIN 51137 R11 standards. An aesthetically pleasing surface in itself it is particularly effective in combination with the other surfaces.

### Decorations



Mosaic Mix A 30x30cm



Decoro A 30x30cm Available in all colours




Mosaic Mix B 30x30cm



Decoro B 30x30cm Available in all colours



Mosaic Mix C 30x30cm



Mosaic Texture 30x30cm Available in all colours




Mosaic on Mesh Polished

Available in all colours



Decoro C 30x60cm







Muretto 3D 30x60cm

Available in colours: WA-32 & WA-30








Decoro Gocce 30x60cm


Torino

# Torino












## Rocce



### **Special Pieces**



Rocce



# Unglazed



## **Rice Grain Anti-Slip**

Available in all colours





\land Anti-Slip Rating Smooth Finish **Rice Grain Anti-Slip** DIN 51130 : R10 2x2cm N/A DIN 51097 : C : Safe SRV DIN 51130 : R10 DIN 51097 : C DIN 51130 : R10 5x5cm DIN 51097 : C : Safe SRV Safe SRV DIN 51130 : R10 DIN 51097 : B DIN 51130 : R10 DIN 51097 : C 10x10cm SRV : Moderate SRV : Safe

### **Special Pieces**




NDM White - Step Edge 5x5cm



NDM White - Step Edge







Unglazed



# Atlanta

CA-6901 Cloud

**CA-6902** Beach

i 🕸	Product: Glazed Ceramic	Size: 48x48mm	Thickness: 6mm	Sheet Size: 36 tiles/sheet = 30.5x30.5cm	Anti-Slip Ratings:	DIN 51097 : `C' SRV Rating : Safe
		·		·		
			510 S.S.S.			1. S. B.

A

CA-6940 White CA-6941 Ivory

A

A

Atlanta



# Pietre Runiche

i	\$ Product: Unglazed Porcelain	Size: 30x30cm	Thickness: 9mm	Anti-Slip Ratings:	DIN 51130 : R11 DIN 51097 : `C' SRV Rating : Safe



WR-29 Odino




 WR-31 Freyr







WR-33 Balder

(A)





## Brezo




## Radica


i	\$ Product: Glazed Porcelain	Size: 33x33cm	Thickness: 9mm	Anti-Slip Ratings:	DIN 51097 SRV Rating	: `C' : Safe



Marfil Grip



### **Special Pieces**




## Delhi

İ	\$	Product: Glazed Porcelain	Size: 33x33cm 45x45cm	Thickness: 9mm 9mm	Anti-Slip Ratings:	DIN 51097 SRV Rating	
---	----	------------------------------	-----------------------------	--------------------------	--------------------	-------------------------	--




### **Special Pieces**



49

Nature Grip



# Lifestone

i 🏘	Product: Unglazed Porcelain	Size: 45x45cm	Thickness: 10mm	Anti-Slip Ratings:	DIN 51097 : `C' SRV Rating : Safe

Lifestone Nacar

Lifestone Arena

A

A







A

Lifestone Gris

Lifestone Tabaco





# Madrid

Image: Product: Unglazed PorcelainSize: 30x60cmThickness: 9mmAnti-Slip Ratings: SRV Rating : S	
--	--







**WJ-3/A** Grey Anti-Slip

A







**WJ-1/A** Charcoal Anti-Slip A

**WJ-2/A** Graphite Anti-Slip

### Special Pieces



53



# Solo

İ	\$	Product: Unglazed Porcelain	Size: 30x60cm	Thickness: 9mm	Anti-Slip Ratings:	DIN 51130 : R12 DIN 51097 : `C' SRV Rating : Safe	
---	----	--------------------------------	------------------	-------------------	--------------------	---	--





WG-2/R Beige Rustic


**WG-3/R** Vanilla Rustic






**WG-5/R** Graphite Rustic








# Assouan



Anti-Slip Ratings: DIN 51097 : `C' SRV Rating : Safe







# Serapool





**80123** White 12 x 24.5cm

20200 (Netit Carre (unglazed) 12 x 24.5cm

**80121.3** Light Blue 12 x 24.5cm

**20203** Petit Carre (white) 12 x 24.5cm





**80133** White Anti-Slip 12 x 24.5cm A



10207 Pool Edge Petit Carre (cobalt blue) 12 x 24.5cm



21217 Step Edge Petit Carre (cobalt blue) 12 x 24.5cm

This page shows a small selection from the Serapool range of swimming pool tiles and fittings

For full details simply scan the QR code to visit their website.



# N Series



**N-07** Windsor

**N-38** Amazon

**N** Series

## N Series









**N-12** Perth





**N-18** Dalaman



**N-81** Oriental

**N-21** Warsaw


A

**N-83** Lakeside

N-84 Chelo

**N-23** Chameleon A

N-95 Forest









**N-87** Sahara





N-99 Lowry



**N-09** Ardennes

# Project

<b>İ 🕸</b> U	Product: nglazed Porcelain	Size: Thick see chart 7n	kness: 🚫 Anti-Slip Ro nm	atings: see chart oppo	site
<b>WP-101</b> Mint	<b>WP-103</b> Beige	WP-104 Snow	<b>WP-105</b> Vanilla	WP-107 Sky Blue	WP-108 Deep Blue
WP-110 Mustard	WP-112 Grey Blue	WP-113 Ash Grey	WP-114 Pearl Grey	WP-117 Charcoal	WP-119 Shell Pink
<b>WP-121</b> Terracotta	WP-125 Forest Green	WP-127 Violet	WP-210 Haiti	WP-211 Avon	WP-212 Shannon
WP-213 Rhine	<b>WP-214</b> Antigua	WP-215 St Kitts	WP-216 Jamaica	<b>WP-217</b> Bahamas	WP-218 Severn
WP-219 Loire	WP-220 Tobago	WP-221 Trent	WP-222 Rhone	<b>WP-223</b> Barbados	<b>WP-224</b> Cuba
WP-225 Danube	WP-226 St Lucia	<b>WP-227</b> Tyne	WP-228 Mersey	WP-229 Thames	WP-230 Seine
WE 221	WE 222	ME 222	WB 234	WP 225	WE 239
WP-231 Clyde	<b>WP-232</b> Volga	WP-233 Cayman	Servada WP-234	WP-235 Trinidad	<b>WP-238</b> Ural

60

# Project







5. Texture







1.Slate

2.Chequer Plate 3.

3. Lattice

4. Carborundum

6. Studded

7. Square Face

8. Texture Plus

				\land Anti-Slip Rating		
	15x15cm	20x20cm	30x30cm	DIN 51130	DIN 51097	SRV
1. Slate		٠	•	R12	С	Safe
2. Chequer Plate		•		R12	С	Safe
3. Lattice	•	•		R12	С	Safe
4. Carborundum		•		R11		Safe
5. Texture	•	•	•	R11	В	Safe
6. Studded		٠		R11	С	Safe
7. Square Face		•		R11	С	Safe
8. Texture Plus		•		R13	С	Safe

Size	60 x 60cm	30 x 60cm	40 x 40cm	30 x 30cm	10 x 20cm	20 x 20cm	15 x 15cm
Thickness	10.5mm	10.5mm	9.5mm	9.5mm	9.5mm	9.5mm	9.5mm



## Ardex

62

#### Walls - Preparation

Ardex AM 100 is recommended for use as a wall render prior to tiling. Ardex AM 100 can be applied from 2-20mm thick and tiling can commence after 2 hours at 20°C.

#### Walls and Floors - Waterproofing

Use ARDEX S 7 waterproof coating to ensure your swimming pool is water tight and free from leaks. Apply to walls and floors prior to tiling. Ensure you use the correct joint tapes required.

#### Walls - Tile Fixing

Fix mosaics or wall tiles with ARDEX X 77 MICROTEC adhesive ensuring solid bedding is achieved.

#### Floors - Preparation

Depending on the thickness of base required, there are three options for floor preparation prior to tiling.

- 1. Apply ARDEX \$ 21 neat to the floor at 0-10mm thickness
- 2. Apply ARDEX \$ 21 and the incorporation of screeding sand to produce a 10-30mm base. This can also be used to form ramps and falls.
- 3. Apply an ARDEX A 38 screed to make up a concrete base for a 15-50mm bonded screed.

#### Floors - Tile Fixing

Ensure solid bedding of the tiles is achieved when fixing mosaics or floor tiles using ARDEX X 77 MICROTEC adhesive or for a rapid setting adhesive use ARDEX X 77 S MICROTEC adhesive. If you are fixing large format tiles and require a semi-pourable adhesive, use ARDEX X 78 S MiCROTEC adhesive.

#### Grouting Walls and Floors

- 1. ARDEX-FLEX FS and FL grouts are available in 32 colours to colour match any tile choice.
- 2. For areas where chemical resistance and hygienic joints are required use ARDEX EG 8 cement/epoxy hybrid grout and adhesive



ARDEX AM 100 Rapid Hardening One Coat Tiling Render



Flexible Waterproof Coating for Floors and Walls

Concrete

ARDEX S 7

### OPTION 1 STANDARD SET ADHESIVE



OPTION 2 SEMI-POURABLE ADHESIVE



**MICROTEC Flexible** Semi-Pourable Floor Tile Adhesive-Large format tiles White & Grey

Concrete base

1.00

0.70



## 



Ardex

# Anti-Slip information



### **Ramp Testing**

DIN51130 - Shod traffic

Classification	Angle
R9	6° < 8°
R10	10° < 19°
R11	19° < 27°
R12	27° < 35°
R13	> 35°

### DIN51097 - Barefoot

Classification	Angle
А	12° < 17°
В	18° < 23°
С	> 24°



### **Pendulum Testing**

SRV = Slip Resistance Value

SRV Pendulum Test Result	Slip Potential	Rating
0 - 24	Dangerous or high potential for slipping	Dangerous
25 - 35	Marginal or moderate potential for slipping	Moderate
36 - 65	Safe or low potential for slipping	Safe
66 +	Very safe or extremely low potential for slipping	Very Safe